



CERTIFICATE OF CONFORMITY



This is to certify that

Ozwall Wall Panels and Partitions

Product description

120 mm thick unfilled Ozwall Panels and Partitions

Comply with Building Code of Australia (BCA) as follows:

1. Volume One BP1.1(a) when designed and constructed in accordance with "Engineering Design Guidelines" by Robert Bird Group Version 2 dated 24/07/2007.
2. Volume Two P2.1(a); when designed and constructed in accordance with "Engineering Design Guidelines" by Robert Bird Group Version 2 dated 24/07/2007.

Product purpose or use

Panels and Partitioning system for use in residential or commercial buildings

Subject to the following conditions and limitations:

1. Product selection, and incorporation into the building design, shall be made by a professional Engineer who:
 - Has qualifications and experience acceptable to the relevant approval authorities;
 - Has received training in the use, application and technical aspects of the product; and
 - Has ready access to all to the relevant technical information and test reports related to the product use.
2. Product installation, shall be carried out by a competent person under the direction of a Builder, both of whom:
 - Have qualifications and experience acceptable to the relevant approval authorities;
 - Have received training in the use, application and technical aspects of the product (as per the Installation Training Instructions dated 17/07/2007); and
 - Have ready access to all to the relevant technical information and test reports related to the product use.

Certificate holder

Ozwall Manufacturing Pty Ltd
1592-1594 Main North Road
Brahma Lodge, SA 5109

Notes:

- The state administrations have differing requirements in respect of qualifications of structural engineers, including registration on the National Professional Engineers Register, and Registered Professional Engineer Queensland.
- Ozwall has tested thermal resistance of R0.27m2.K/W. Ozwall has tested thermal resistance of R1.0m2.K/W when R1.5 insulation is added in the voids.

CodeMark certification body

Global-Mark Pty Ltd
25/28 Barcoo Street
Roseville NSW 2069, Australia
www.Global-Mark.com.au

Herve Michoux, Managing Director

14/01/2008

Date of issue

14/01/2011

Date of expiry

GM-07-CM30003

Certificate Number



- This Certificate of Conformity is issued under arrangement with JAS-ANZ. The ABCB does not in any way warrant or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product.
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.